

Some fork() “Puzzles”

COMP 321

Dave Johnson



COMP 321

Copyright © 2025 David B. Johnson

Page 1

1

What Does This Program Do?

```
int
main(void)
{
    int i;

    for (i = 0; i < 2; i++)
        fork();
    printf("hello\n");
    exit(0);
}
```


How many times does “hello\n”
get printed?

COMP 321

Copyright © 2025 David B. Johnson

Page 2

2




COMP 321

Copyright © 2025 David B. Johnson

Page 3

3




COMP 321


Copyright © 2025 David B. Johnson

Page 4


4



5



6



7

What Does This Program Do?

```

void doit(void)
{
    fork();
    fork();
    printf("hello\n");
}

int main(void)
{
    doit();
    printf("hello\n");
    exit(0);
}

```

How many times does "hello\n" get printed?

8


```
void doit(void) {           int main(void) {  
    fork();                 doit();  
    fork();                 printf("hello\n");  
    printf("hello\n");      exit(0);  
}
```

pid = 30


```
void doit(void) {           int main(void) {  
    fork();                 doit();  
    fork();                 printf("hello\n");  
    printf("hello\n");      exit(0);  
}
```

pid = 30


```
pid = 31  
void doit(void) {           int main(void) {  
    fork();                 doit();  
    fork();                 printf("hello\n");  
    printf("hello\n");      exit(0);  
}
```




11



12



13



14

What Does This Program Do?

```
int
main(void)
{
    int x = 3;

    if (fork() != 0)
        printf("x = %d\n", ++x);

    printf("x = %d\n", --x);
    exit(0);
}
```

What values of x get printed?

COMP 321

Copyright © 2025 David B. Johnson

Page 15

15

x = 3
return PC →

```
int main(void) {
    int x = 3;
    if (fork() != 0)
        printf("x = %d\n", ++x);
    printf("x = %d\n", --x);
    exit(0);
}
```



pid = 40


COMP 321

Copyright © 2025 David B. Johnson

Page 16

16





COMP 321

Copyright © 2025 David B. Johnson

Page 19

19

What Does This Program Do?

```

int counter = 1;

int
main(void)
{
    if (fork() == 0) {
        counter--;
        exit(0);
    } else {
        wait(NULL);
        printf("counter = %d\n", ++counter);
    }
    exit(0);
}

```

What gets printed for counter ?

COMP 321

Copyright © 2025 David B. Johnson

Page 20

20

10

```

int counter = 1;
int main(void)
{
    if (fork() == 0) {
        counter--;
        exit(0);
    } else {
        wait(NULL);
        printf("counter = %d\n", ++counter);
    }
    exit(0);
}

```

pid = 50

COMP 321

Copyright © 2025 David B. Johnson

Page 21

21

```

int counter = 1;
int main(void)
{
    if (fork() == 0) {
        counter--;
        exit(0);
    } else {
        wait(NULL);
        printf("counter = %d\n", ++counter);
    }
    exit(0);
}

```

pid = 50

counter
= 1

pid = 51

```

int counter = 1;
int main(void)
{
    if (fork() == 0) {
        counter--;
        exit(0);
    } else {
        wait(NULL);
        printf("counter = %d\n", ++counter);
    }
    exit(0);
}

```


COMP 321

Copyright © 2025 David B. Johnson


Page 22

22

11



23



24