

Index

- Abel, J.F., 428
Abdulwahab, F., 176., 143
Abramowitz, M., 114, 125
Abscissas, 120, 121, 246, 269, 445
Acceleration, 394
Adams, R.A., 89
Adams, V., 24
Adaptivity, 2, 28
 h-method, 108, 138, 315, 334, 348, 368, 416, 449
 p-method, 102, 108, 138, 248, 249
 hp-method, 102, 138, 139
Adaptivity, 28
Adjacent elements, 68, 148, 150, 152
Ahmad, S., 212, 279, 380
Ainsworth, M., 28, 89, 131, 135, 139, 142, 144, 175
Akin, J.E., 24, 89, 114, 175, 363, 380, 428
Algebraic equations, 33, 36, 39, 49, 50, 69, 71, 191, 217
Allaire, P.E., 380
Allan, T., 367, 380
Allowable error, 171
Analytic solution, 464
Angle of twist, 349, 350, 351, 354
Anisotropic material, 1, 6, 282, 319, 375, 411
Antisymmetry, 285, 287, 358
APPLICATION_B_MATRIX, 38, 354
APPLICATION_E_MATRIX, 38, 354
Area, 233, 291, 475
Area coordinates, 95, 266, 274
Askenazi, A., 24
Aspect ratio, 257
Assembly of equations, 3, 4, 12, 13, 15, 48, 50, 71, 79, 179, 181, 182, 191, 192, 206, 217, 226, 292, 307, 400
Automatic array, 167, 194
Average mass matrix, 76, 374
Average nodal flux, 4, 59, 60, 67, 161, 294, 297, 327, 328, 361
Axelsson, O., 89
Axial stress, 9, 184, 383
Axial stiffness, 179
Axisymmetric integrals, 117, 169, 319, 322, 362, 364, 448
Axisymmetric solid, 6, 218, 343, 375, 376
Axisymmetric stress, 383, 404, 409, 476
Aziz, A.K., 89, 262
Babuska, I., 25, 90, 114, 142, 143, 144, 176, 262, 263, 428
Back substitution, 36
Baker, V.T., 89
Bang, H., 381
Bar, 80, 113, 179, 351
Barcentric coordinates, 266
Barlow points, 109, 147, 278
Barlow, J., 114, 279
Barnhill, R.E., 142
Bathe, K.J., 24, 212, 428
Beam, 87, 112, 210
Bearing load, 370, 371, 372, 374
Becker, E.B., 24, 262, 428
Behr, M., 262
Belytischko, T., 142, 175, 428
Bending, 402.
Bilinear form, 28, 83
Blacker, T., 142, 175
Blended functions, 241
Body forces, 184, 188, 197, 223, 388, 389, 393, 394, 475, 478
Bonnerot, R., 89, 263
Bookkeeping, 48, 71, 181
Boolean assembly, 8, 181, 182
Boundary conditions, 4, 10, 35, 67, 203, 286
Boundary flux, 38, 52, 358, 360, 438, 441, 459
Boundary matrices, 4, 30, 128, 283, 285, 288, 301, 317, 320, 360
Boundary segment, 38, 47, 74, 185, 201, 283, 288, 295, 302, 306, 360, 395, 471
Boundary value problem, 70
Brass, 189, 196
Brebba, C.A., 263
Brauchli, H.J., 142

- Bubble function, 238,247
- Buchanan, G.R., 89,212,228
- Bulk modulus, 397
- Bruch, J.C., 89,105,114
- Byrom, T.G., 24,380
- C^1 function, 97,98
- `CALC_SCP_AVE_NODE_FLUX`, 157,158
- Capacity matrix, 77,200,317,375
- Carey, G.F., 24,90,125,262,381,428
- Carpet plot, 296,311,314,347,352,378,468
- Cartesian tensor, 26,27
- Carslaw, H.S., 380
- Centrifugal load, ,185,223
- Centroid, 122,124,226,289,393,406
- Charge density, 464
- Chung, T.J., 363,380
- Ciarlet, P.G., 89,142,263
- Circular hole, 414
- Class, 355,380
- Coaxial cable, 460,464
- Cohen, M., 176,279
- Collocation, 32
- Column vector, 48
- Complete polynomial, 21,130,157,238,248, 250,274,275,389
- Compliance law, 411,413
- Conduction, 51,203,214,218,289,292,461, 471
- Conduction matrix, 71,76,215,216,288, 316,343,461
- Conductivity, 67,74,
- Connectivity, 3,9,12,20,182,447
- Connor, J.C., 263
- Consistent mass matrix, 76,373
- Consistent loads, 393,394
- Consistent source, 51,276,277
- Constant Jacobian, 59,
- Constant strain triangle (CST), 246,392, 398,475
- Constitutive matrix, 156,157,164,168,170, 185,192,223,225,318,385,391,392,397, 402,411,473
- Constitutive transformation, 414
- Constraint equations, 37,397
- Contains, 355
- Continuity: 238
 - C^0 , 97,111
 - C^1 , 97,98,99,103,111
 - C^2 , 98,103
- Continuous flux, 10,56,131,164
- Contours, 296,299,304,310,313,324,326, 329,331,332,337,339,340,342,367,469
- Convecting edge, 284,286
- Convecting face, 284,286
- Convection, 51,67,199,202,203,281,282, 291,322,457,458,471
- Convection loss, 201,202,204,205,281,308, 312,472,323,461,472
- Convergence rate, 21,129,138,333
- Cook, R.D., 24,142,175,263,279,380,428
- Cookson, R.A., 263
- Cooling bar, 79-82
- Cooling cylinder, 377
- Cooling fin, 305,310,471
- Coon's function, 250
- Coordinate transformation, 116,197,392, 404
- Coordinates, 3
- Couette flow, 88
- Couple, 6
- `COUNT_ELEMS_AT_ELEM`, 146,148
- Craig, A.W., 144
- Crank-Nicolson, 76,78,263,374
- Cross-derivatives, 174,247,250
- Cubic element, 41,44,46,96,98,100,112, 239,240,250,403,436,442,444,445,460
- Current density, 362,394
- Cunningham, J., 263
- Current density, 362,394
- Curve metric, 123
- Cylinder, 214,218,223,224,360
- Cylindrical coordinates, 214,343,362
- Data, 52,80,91,190,196,203,208,218,227, 292,300,306,311,344,352,377,398,405, 439,441,446,446,458,462,464,471
- Database, 145,152,157
- Deflection, 415
- Degree of freedom number, 12,18,154,182
- Demkowicz, L., 89,381
- De-refinement, 138,139

- Derivative:
- global, 56
 - local, 55,93,164,223,242,243,244,245,261
 - nodal parameters, 99,445,466
 - orders, 30
 - second, 98,152,165,445
- DERIV_C1_L*, 99,445,466
- DERIV_3_L*, 97
- DERIV_3_T*, 232
- DERIV_4_Q*, 234
- DERIV_16_R*, 466
- DERIV2_C1_L*, 99,445
- Desai, C.S., 24,78,89,114,380,428
- DETERMINE_SCP_BOUNDS*, 159
- Dettmer, W., 105,114,263
- Devloo, P., 381
- DeVries, G., 24
- Diagonal mass matrix, 76,374
- DIAGONALIZE_SQ_MATRIX*, 76
- Differential geometry, 251,318,
- Differential operator, 7,29,38,126,382,383
- Diffusivity, 78
- Dirac delta distribution,32
- Dirichlet condition, 10,68,69,130,285,325,343,360,373,436,468
- Direct access, 152,154
- Direct assembly, 12,399
- Direction cosines, 197
- Displacement vector, 178,382,383,389,394
- Displacements, 3,5,179,388
- Distortion, 257
- Displacement vector, 178,382,383,389,394,400,415
- Distortional energy, 397
- Divergence theorem, 8,26
- Dual problem, 29,30
- Dunavant, D.A., 270,279
- Dunavant quadrature, 270,274
- DUNAVANT_UNIT_TRIANGLE*, 270
- Dynamic memory, 159
- Dynamic system, 394Dym, C.L., 213
- D_Q_RULE*, 272,274
- E_AXISYMMETRIC_STRESS*, 386,476
- E_ISOTROPIC_STRESS*, 404
- E_PLANE_STRAIN*, 473,476,478
- E_PLANE_STRESS*, 386,402,476
- E_SOLID_STRESS*, 473,476
- Edge flux, 291,300,
- Effective stress, 401,403,479
- Effectivity index, 59,129,135
- Eigenproblem, 77,394
- El-Zafrany, A., 263
- Elastic modulus, 391
- ELASTIC_B_AXISYMMETRIC*, 410
- ELASTIC_B_MATRIX*, 404
- ELASTIC_B_PLANAR*, 390,402,478
- ELASTIC_B_SOLID*, 474
- Elastic bar, ,184,189,195
- ELASTICITY_B_MATRIX*, 477
- ELASTICITY_E_MATRIX*, 476
- Elastic modulus, 179,184,192,385,473
- Electrostatics, 228
- ELEM_COL_MATRIX*, 38
- ELEM_COORD*, 169
- ELEM_SQ_MATRIX*, 38,42,43,45,51,55,193,202,216,289,319,354,364,369,402,433,438,445,461,478
- Element based patch, 58,145,152
- Element
- connectivity, 5,17,20
 - coordinates, 51,193,241,254,475
 - error, 21,65,163,257,416,470
 - error energy, 170
 - degree, 454
 - flux, 67,297
 - incidences, 18,146
 - interface, 235,359
 - loads, AA
 - matrices, 283,288,292,316,344,354,363,364,369,370,375,389,396,399,433,438,439,442,445,446
 - neighbors, 159
 - properties, 372
 - reactions, 190,196,198,204,463
 - size, 3,22,49,108,129,138,140,299,313,314,341,348,416,454,455
 - strain, 191,192,207,208,382,391,400
 - stress, 127,191,196,225,226,382,388,401

- type, 154,168,302,306,453,455
- ELEMENT_NODES*, 146,147,148,149,150
- Elliptic problem, 126
- Encapsulated, 350,355,
- Energy norm, 133
- Energy norm error, 65,221,222,299,309,
329,331,342,361,423,467,470
- Enrichment, 250
- Equation numbers, 12,20,182
- Equation of motion, 394
- Equilibrium, 162,178,179,215,387,400
- Equivalent form, 82
- Error density, 137,172
- Error estimates, 2,5,28,38,59,78,126,130,
163,333,366,449
- Error energy norm, 12,14,128,165
- Estimated error, 425,440
- Essential boundary condition, 3,10,11,29,
30,31,37,50,54,68,71,78,79,126,191,217,
226,292,412,418,438,448
- Euler theorem, 8,12,207,281
- Euler integration, 374
- EVAL_PT_FLUX_IN_SCP_PATCH*, 449,
451,453
- EVAL_SCP_FIT_AT_PATCH_NODES*,
161,174,449,452
- Exact displacement, 405,406,418
- Exact error, 170,341,470
- Exact flux, 59,60,63,64,141,446,447,458,
463,469
- Exact flux error, 66
- Exact integrals, 39,51,116,264,270,433,441
- Exact solution, 46,52,53,60,72,81,140,153,
169,202,204,217,326,332,345,347,431,
434,440,444,447,458,463,469
- EXACT_SOLUTION*, 38
- Exact source, 375
- EXACT_SOURCE*, 38
- Exact stress, 406,418,419,426
- Exploded mesh, 304,412,424,425
- Face based patch, 58,145,152
- Face convection, 286,291,301,305
- Face nodes, 152
- Factorization, 35,36
- Failure criterion, 5,227,392,403
- Ferrari, R.L., 25,263,381
- FILL_TYPE_INTERPOLATIONS*, 168
- Film thickness, 369,370
- Fin, 471
- First fundamental form, 252
- Fix, G.J., 90
- Flannery, B.P., 176
- Flick's law, 68
- Flow around cylinder, 360
- Flow chart, 4
- Flux averaging, 38,51,60,157,161,220,222
- Flux balance, 135
- Flux components, 126
- Flux error, 61,63,170
- Flux norm, 170
- Flux reaction, 72,222
- Flux recovery, 56,453
- Flux vector, 309,310,321,469
- Force vector, 192,223,327,328,338
- FORM_ELEMS_AT_EL*, 150
- FORM_L_ADJACENT_NODES*, 147
- FORM_NEW_EL_SIZES*, 449,454
- Forces, 6,178,184,189,198,223,388,
389,393,394,475,478
- Forward difference, 76,374
- Forward substitution, 36
- Fourier law, 68,127
- Fourier number, 78
- Fracture mechanics, 259
- Functional analysis, 28
- Functional, 11,370
- Fundamental magnitudes, 252,253,254
- Gago, J., 144
- Galerkin criterion, 8,27,34,39,40,42,44,
45,71,177,387,430,436,438,439,440,442
- Galerkin in time, 76,374,436
- Gallagher, R.H., 175,428
- Gamma function, 265
- Ganjoo, D.K., 90,114,263
- Gardner, G.A., 263
- Gardner, L.R.T., 263
- Gartling, D., 90,213
- Gather, 8,9,49,54,154,164,169,179,183
- Gauss' Theorem, 26
- GAUSS_COEFF*, 273

- GAUSS_2D, 272,275
 GAUSS_3D, 272,273
 Gaussian quadrature, 39,55,119,120,275
 Gellert, M., 279
 GEN_ELEM_SHAPE, 449
 Generalized trapezoidal integration, 374
 Geometric interpolation, 241,243,245,268
 Geometric matrix, 92,233
 Geometric parameters, 289,291,308,475
 Geometric properties, 255,346,
 GET_DLG_AT_QP, 478
 GET_DLH_AT_QP, 40,55,75,169,202,216,
 223,319,320,322,354,364,375,402,438,478
 GET_DOF_INDEX, 19
 GET_ELEM_DOF, 153
 GET_ELEM_INDEX, 14,17,153
 GET_ELEM_NODES, 17,153,169,453
 GET_ELEM_QUADRATURES, 168
 GET_ELEM_SHAPE, 160,451
 GET_ELEM_TYPE_DATA, 160,168,453,
 455
 GET_G_AT_QP, 40,42,43,402
 GET_H_AT_QP, 40,55,75,169,193,202,
 216,223,319,320,322,354,364,375,402,438
 GET_INDEX_AT_PT, 14,16
 GET_LT_FACES, 151
 GET_PATCH_QUADRATURE_ORDER,
 168
 GET_REACTIONS, 73
 GET_REAL_IDENTITY, 445
 GET_REAL_LP, 75,193,202,205,216,223,
 289,320,354,369,376,386,461
 GET_REAL_MISC, 202,205,354,364,369,
 433
 GET_REAL_MX, 322,323
 GET_SCALAR_DEGREE, 455
 GET_SCP_PT_AT_XYZ, 160,449,450,451
 Global approximation, 39,40,42,43,44,45,46
 Global array, 42,55
 Global coordinates, 52,80,91,190,196,203,
 208,218,227,292,300,306,311,344,352,377,
 398,405,439,441,446,446,458,462,464,471
 Global derivatives, 31,40,42,45,47,49,55,
 164,243,245
 Global error, 172,430
 Global variable, 42,430
 Gradient, 54,126,164,245,246,324,435
 Gradient estimates, 109,435,437
 Graph, 298,430,431
 Gravity, 185,189,197
 Green's theorem, 27,73,74
 Gresho, P.M., 175
 Griebel, M., 262
 Griffiths, D.V., 25,125,428
 Gupta, K.K., 24,428
 H^1 norm, 29
 H^2 error, 170
 H^2 norm, 170,171,174
 Half symmetry, 211,287,300,304,368
 Hansbo, P., 263
 Harbord, R., 279
 Haroun, M., 279
 Hayashi, H., 367,381
 Heat balance, 309
 Heat conduction, 1,126,AA
 Heat convection, 67,69,199,202,204,205,
 478
 Heat generation, 126,215,217,288
 Heat flux, 5,78,127,292,298,339,340
 Heat loss, 205,281,308,323,463
 Heat transfer, 1,6,68,282,292,456,458,
 463
 Heinrich, J.C., 89
 Hermite interpolation, 97,98,99,103,436,
 442,445,465
 Hessian, 165.
 Hexahedra,
 elements, 95,238
 interpolation, 240
 Hierarchical interpolation, 100,101,131,
 241,246
 Hilbert space, 83
 Hinton, E., 125,279,380
 Hole in infinite plate, 414
 Hooke's law, 68,127,185,194
 Hoop strain, 222,225,409
 Hoop stress, 226,410
 Hu, K-K., 263
 Huang, H.C., 78,89,138,142,175,380
 Huebner, K.H., 24,367,380

- Hughes, T.J.R., 24,28,89,125,175,263,279, 374,380,428
- Hyperbolic functions, 106
- Idesman, A., 263
- Ill-condition, 59
- Include file, 4,13,80
- Incompressibility, 225,277,385,397
- Inertia tensor, 255
- Influence domain, 48
- Initial condition, 77
- Initial strain, 191,194,,387,391
- Initial stress, 387
- Initial value problem, 73,77,374
- Inner product, 28,29,30,128
- INTEGRAL_DHDXT_DHDX_ON_L3*, 443
- INTEGRAL_H_ON_L3*, 443
- INTEGRAL_HT_H_ON_L3*, 443
- INTEGRAL_HT_DHDX_ON_L3*, 443
- Integrate by parts, 8,27,29,30,41,42,84
- Integration, 115,264
- Interface, 38,40,148,150,155,158,166,193, 194,452
- Interior residual, 133,135
- Interpolate solution, 72
- Interpolation error, 106,256
- Interpolation functions, 9,47,49,56,91,124, 164,185,225,230,240,241,316,384,442
- Initial strain, 387,389
- Initial stress, 387
- Inverse Jacobian, 244
- INVERT_JACOBIAN*, 169,216,223,319, 354,364,375
- INVERT_SMALL_MAT*, 168
- INVERT_2BY2*, 402
- Inviscid flow, 363
- Irons, B.M., 201,212,279,380
- Isoparametric element, 93,94,231,235,241, 252,317,402
- Iterative solution, 75
- Jacobian, 59,93,115,124,161,242,256,257, 258,261,268,315,450,465
- Jacobian determinant, 244,245
- Jacobian inverse, 244,257
- Jaeger, J.C., 380
- Jamet, P., 89,263
- Johnston, P.R., 213,229,428
- Jump term, 135,138
- Keast, B., 271,279
- KEAST_UNIT_TET_RULE*, 271
- Kelly, D.W., 142,144
- Keyword, 40,52,152,192,197,205,207,218, 223,227,292,295,300,302,303,306,320, 345,350,371,373,374,377,398,418,439, 441,446,454,462,464,471
- Kimser, P.G., 263
- Kreyszig, E., 345,381
- Krishnamoorthy, C.S., 114
- Krizek, M., 143,175
- Kundu, T., 24,114,380
- Kwon, Y.W., 381
- L_2 norm, 29,165,169,170
- Ladeveze, D., 143
- Lagrange interpolation, 96,11,13,238, 267,317
- Lakhany, A.M., 176
- Lame constants, 397
- Lame parameters, 253
- Laplace equation, 210,466
- Laplacian, 127
- Least squares, 33,39,40,43,44,56,157,160, 433,434,442,445,447
- Least squares in time, 76,374
- Legendre polynomials, 102,104,249
- Leguillon, D., 143
- Linear
- hexahedra, 157,238,240
 - line, 48,49,51,53,71,91,94,96,132,187, 200,201,215,219,369,370,433-435, 442,459,461
 - quadrilateral, 236,242
 - spring, 178
 - tetrahedron, 94,106,236,267
 - triangle, 94,106,236,244,246,256,265, 268,288,290,300,303,313,378
- Linear space, 28
- LIST_ELEM_FLUXES*, 153,155,157,160
- LIST_ELEM_AD_EXACT_FLUXES*, 153
- LIST_ELEM_TORSION_STRESS*, 140,

- 355,356
LIST_ELEM_TORSION_INTEGRAL, 355, 357
 Liu, W.K., 428
 Liusternik, L.A., 28,89
 Lobatto rule, 121,448
 Local coordinates, 91,230
 Local derivatives, 55,93,164,223,242, 243,244,245,261
 Locking, 397
 Load vector, 9
 Loubignac,G., 162,176
 Lubrication, 367
 Lumped matrices, 49

 Maddox, J.R., 175
 Magnetic flux density, 362,394
 Malkus, D.S., 24,142,175,263,279,380,428
 Martin, H.C., 381
 Mass matrix, 75,78,217,318,374,375
 Mass properties, 255
 Material axes, 392,407,413,414
 Material property, 5,9,186,189,203,215,227, 290,292,306,311,345,351,372,396,398, 405,458,462
 Matrix inverse, 35,70,71
 Matrix partition, 69
 Maximum shear stress, 349,353
 Measure, 29,257
 Mechanical work, 178,184,382
 Meek, J.L., 24,381
 Meier, D.L., 89
 Mesh adaptivity, 4,417,422,449
 Method of moments, 34
 Method of Weighted Residuals (MWR), 31-35,70-77,85,434,445
 Metric matrix, 252,254
 M.H.D. plasma, 362
 Mid-edge nodes, 238,239,267
 Minimal integration, 275
 Minimization, 33
 Minimum total potential energy, 83,178
 Mitchell, A.R., 89,213
 Mixed boundary condition, 10,38,69,281, 301,311
 Mixed condition matrices, 291,308,322

MIXED_SQ_MATRIX, 38,291,322,
 Moan, T., 279
 Mohr's circle, 404,407,414
 Moment, 5
 Monk, P., 262.
 Moran, B., 428
 Morgan, K., 90,132,143,263
 Multiple point constraint (MPC), 10,37, 212,456,457,459
 Myers, G.E., 199,212,381

 Natural boundary conditions, 10,11,30,69, 209,283,285,358,437
 Natural coordinates, 93,96,119,120,199, 233,237,240,272,445,450
 Natural norm, 29,128
 Neighbor lists, 146,151
 Neittaanmaki, P., 143,175
 Neumann condition, 10,69,130,320,373, 436,438,441,448
 Niekamp, R., 263
 Nodal
 based patch, 58,145,152
 boundary condition code, 52,80,190, 196,203,208,218,398
 constraints, 10,37
 coordinates, 52,80,91,190,196,203,208
 displacements, 5,384,415
 forces, 5
 influence domain, 48
 moment, 5
 parameters,9,70,97,180
 pressure, 367
 properties, 369
 temperature, 5,3,67,78,126,200,204, 205,218,219,282,292,296,298,302, 304,314,335,336,347,459,463,471,472
 thickness, 369
 velocity, 361
 Nodally exact solution, 70,105
 Non-conforming element, 235,359
 Norm, 28,29,67,164
 Normal flux, 281
 Normal stress, 385,388,419,420
 Normal vector, 11,
 Norrie, D.H., 24

- Nowinski, J.L., 28,89
- Numerical integration, 39,56,118,161,164, 201,202,216,223,226,246,269,316,318, 319,364,375,402,438,445,448,478
- Oden, J.T., 24,28,89,90,125,131,135,139, 142,143,175,262,381,428
- One-eighth symmetry, 292,296,348,351, 374,378
- Optimal points, 109,111,278
- Orthogonal functions, 28,102,131
- Orthotropic material, 285,335,336,413
- Outer product, 42,45
- OUTER_PRODUCT*, 75,438,445
- Overlapping patches, 163
- Owen, D.R.J., 125,380,428
- Parallel axis theorem, 255
- Parametric curve, 251,253
- Parametric derivative, 55,93,164,173,223, 242,243,244,245,261
- Parametric equation, 122,251
- Parametric surface, 6,252
- PARAM_GEOM_METRIC*, 254,318,320,322
- Pascal triangle, 237
- Patch
 - bounds, 156,157,450
 - degree, 152,157
 - domain, 57,58
 - element based, 58,145,152
 - face based, 58,145,152
 - flux, 59, AA
 - interpolation, 56,58,62,162,451
 - Jacobian, 156
 - node based, 57,58,145,152
 - overlapping, 163
 - parametric space, 59,449,450
 - type, 168,449
- Patch test, 201,205,208,358,405
- Pepper, D.W., 89
- Peric, D., 105,114,263
- Permittivity, 464
- Piecewise approximation, 2,48,54,170
- Pironneau, O., 24
- Pitkaranta, J., 114,262
- Planar elasticity, 127
- Plane strain, 383,387,388,472,473,478,479
- Plane stress, 383,387,388,391,398,402,405, 412,475,479
- Plasma, 364
- Plesha, N.E., 24,142,175,263,380,428
- Plot, 41
- Point load, 184,388
- Point source, 302
- Poisson equation, 210,211,227,319,325, 349,354,358
- POISSON_ANISOTROPIC_E_MATRIX*, 319
- Poisson's ratio(s), 385,411,473
- Polynomial degree, 139
- Position vector, 251
- Positive-definiteness, 11,28
- Post-process, 8,10,38,49,191,306,355,387, 445,461
- Post-solution calculations, 189,323,370, 479
- POST_PROCESS_ELEM*, 38,194,205, 323,355,371,403,461,479
- POST_PROCESS_GRADS*, 153,154
- POST_PROCESS_MIXED*, 308
- Potential energy, 178,184
- Potential flow, 5,355,358,360
- Press, W.H., 176
- Pressure, 226,227,370,372
- Principal stresses, 408
- Quadratic
 - hexahedra, 240
 - hierarchical, 117
 - line, 41,46,96,97,110,116,218,227,257, 439,441,442,443
 - quadrilateral, 12,109,240,312,403
 - tetrahedra, 237,267
 - triangle, 109,237,265,325,344,351,403 405,412
- Quadratic functional, 180,209
- Quadratures, 39,42,43,54,75,270,271,448
- Quadrature order, 163
- Quadrature point, 57,59,112,152,156,353, 361,406
- Quadrilateral element, 233,240
- Quarter point element, 259

- Quarter symmetry, 22,287,335,
- Radial displacement, 222
- Radial position, 216,222
- Random access, 152,154
- Rao, S.S., 25
- Razzaque, A., 212,380
- Reaction flux,52,79,195,218,222,307
- Reaction force, 191,192,401
- Reactions, 6,10,50,52,70,72,189,190,195,
204,208,292
- Record number, 152,154,156
- Rectangular element, 106,315,465
- Reddi, M.M., 367,381
- Reddy, J.N., 89,213
- Reduced integration, 275
- Refinement, 138,334,454
- Refinement indicator, 137,138,173,334,
- REAL_IDENTITY, 364
- Reshape, 51,
- Residual error, 7,8,31,32
- Reynolds equation, 367,370
- Rigid body motion, 226,277
- Robin boundary condition, 10,38,69,212,
281,283,301,322,373,
- Robinson, J., 201,213
- Rockey, K.C., 228
- Rod, 198
- Ross, C.T.F., 228
- Rossettos, J.N., 114
- Scalar field, 280
- Scatter, 8,9,21,49,152,179,390,449,451,455
- Schwartz inequality, 27,28
- SCP averages, 67,346,353,361,440,446,447
- SCP recovery,56,131,145,321
- SCP_ERROR_ESTIMATES, 164,166,174
- Second derivatives, 152,165,445
- Secret, D., 125
- Segerlind, L.J., 25,263,350,381,428
- SEG_COL_MATRIX, 291,320,
- Selective integration, 275
- SELECT_APPLICATION_B_MATRIX, 169
- SELECT_APPLICATION_E_MATRIX, 168
- SELECT_EXACT_FLUX, 170
- SELECT_EXACT_SOLUTION, 169,319
- SELECT_EXACT_SOURCE, 375
- Self-adjoint, 29,363
- Semi-discrete, 76,77
- Semi-norm, 29
- Sequential data, 152,154
- Serendipity elements, 130,238,239
- SET_ELEM_TYPE_INFO, 153
- Shames, I.H., 213
- SHAPE_3_L, 97
- SHAPE_3_T, 231
- SHAPE_4_12_Q, 239
- SHAPE_4_Q, 234,240
- SHAPE_6_T, 236
- SHAPE_8_H, 240
- SHAPE_8_Q, 240
- SHAPE_16_Q, 240
- SHAPE_16_R, 465
- SHAPE_20_H, 240
- SHAPE_32_H, 240
- SHAPE_C1_L, 99,445,465,466
- Shear modulus, 349,391,397,411
- Shear strain, 388
- Shear stress, 349,352,385,388,421
- Silvester, P.P., 25,263,381
- Simplex elements, 94,106,130,231,236,260
- Single element solution, 35,42,43,44,45,
201,430,444
- Singular Jacobian, 257,258
- Singular value decomposition, 161
- Skyline, 439
- Slider bearing, 367,370
- Slope, 97,442
- Smith, I.M., 25,125,428
- Soap film, 349
- Sobolev norm, 29
- Soblov, V.J., 89
- Solution error, 31,352,
- Solution integral, 350,354,357,461
- Solution techniques, 35,439
- Solution vector, 32
- Source, 9,31,41,47,74,75,282,292,375
- Source integrals, 71,76,272,364
- Source vector, 32,47,51,128,200,215
- Source resultant, 52,71,289,375,463
- Space-time interpolation, 77,105,259

- Space-time slab, 105,106,260
- Specific heat, 78
- Sphere, 345,381
- Spring, 178
- Square matrix, 9,47,49,54,71,76,128
- Steady state, 79,283,374
- Steel, 189,196
- Stegun, I.A., 114,125
- Steinberg, R., 143,175
- Step bearing, 371
- Stiffness matrix, 9,32,179,186,188,193,
197,200,223,389,396,399,475
- STORE_COLUMN*, 16,17
- STORE_FLUX_POINT_COUNT*, 51,55,216
- STORE_FLUX_POINT_DATA*, 51,55,216
- STORE_FULL_SQUARE*, 16,17
- Strain, 191,192,207,208,382,391
- Strain energy, 170,178,184,382
- Strain energy norm, 67,137,165
- Strain-displacement relation, 164,170,185,
187,191,225,382,384,390,391,396,410,
474,475
- Strain transformation, 392,404,408,414
- Stream function, 355,362,367
- Stein, E., 263
- Stress, 127,191,196,225,226,382,388
- Stress concentration, 422
- Stress error, 164
- Stress error norm, 129
- Stress free temperature, 392
- Stress function, 349,352
- Stress-strain law, 390
- Stress transformation, 404,407
- Strang, W.G., 90
- Strong form, 82
- Strong typing, 40,232,433,450,465
- Strouboulis, T., 142,381
- Stroud, A.H., 125
- Structural mechanics, 178
- Subdomain method, 35,430
- Sub-parametric elements, 241,246
- Subset, 48,185
- Superconvergence patch (SCP), 56,57,80
- Super-parametric elements, 241
- Surface gradient, 253
- Surface metric, 253
- Surface normal, 252,AA
- Surface tractions, 388
- SVDC_BACK_SUBST*, 161
- SVDC_FACTOR*, 161
- Swartz, S.E., 263
- Symmetry, 22,28,285,292,358
- SYMRUL*, 269
- System equations, 17
- System norm, 165
- Szabo, B., 25,90,114,143,176,262,428
- Tangent vectors, 251, 253
- Tangential derivatives, 100,247
- Taylor, R.L., 25,90,114,125,176,213,381,
428
- Taylor series, 106,175,256
- Temperature, 3,67,78,126,200,204,205,
218,219,282,292,296,298,302,304,314,
335,336,347,459,463,471,472
- Test function, 73
- Tetrahedra, 94,236,237,260
- Teukolsky, S. A., 176
- Tezduyar, T.E., 90,114,263
- Thermal conductivity, AA,215,
- Thermal diffusivity, 78
- Thermal expansion, 191
- Thermal load, 192,196
- Thermal strain, 191,193,196,392,393
- Thickness, 282,289,319,388,393,475
- Thornton, E.A., 24,380
- Time derivative, 73,74,77,78,280,375
- Time history, 79,81,82,374,376,377
- Time slab, 77,260,262
- Time step, 78,374
- Tokamak, 362
- Tong, P., 105,114
- Torque, 349,
- Torsion, 348,350,351,352,354,354
- Total potential energy, 11,186,382
- Touzot, G., 176
- Tractions, 127,128,184,186,388,389,394
- Transformation matrix, 404
- Transient applications, 73,74,75,78,105,
280,374-378
- Transition element, 238

- Trapezoidal rule, 118,119
Triangular elements, 22,AA
Triangle inequality, 27,29
Union, 74
Unique solution, 85
Unit coordinates, 93,94,96,119,120,230,
236,264,445,450
Unit normal vector, 73,127
Unit tetrahedra, 271
Unit triangle, 266,270,466
Unstructured mesh, 152
Unsymmetric equations, 33,35,
Upadhyay, C.S., 142
UPDATE_SCP_STATUS, 156
Usmani, A.S., 78,89,138,142,175,380
Validation, 201
Variable coefficients, 438,440,441,445,
447,448
Variational form, 7,11,82,177,199,215,
280,363
Vector field,382
Vector plot, 297,309,310,327,328,338,
353,415
Vector potential, 362
Velocity potential, 355,358
Velocity, 357,358,369
Vettering, W.T., 176
Viscosity, 369
Volume, 165,169,188,406,454
Volume coordinates, 95,267
Von Mises stress, 227,403,409,417,426,479
Wada, S., 367,381
Wait, R., 89,213
Weak form, 8,52
Weaver, W.F., 213,229,428
Wedge element, 106
Weight, 193,466
Weighted residual, 7,31,41
Weighting function, 32
Weights, 120,121,246,269,270,271,445,
448
Wiberg, N-E, 143,176
Witt, R.J., 24,142,175,263,380,428
Whiteman, J.R., 25,90,142,175
Wooten, J.W., 363,380
Work, 178,184,382
Yield stress, 403
Young's modulus, 385
Z-Z error estimator, 56,59,138
Zhu, J.Z., 59,90,143,144,176,381
Zienkiewicz, O.C., 25,59,90,114,125,132,
143,144,176,213,229,263,279,381,428
Ziukas, S., 143,176
Zyvoloski, G., 89,105,114,143